

Cimzia (certolizumab pegol)

Provider Order Form rev. 10/29/2025



PROVIDERS: Please include the following information to expedite the order:
Patient Demographic, most recent Office Visit Note, Insurance Information, TB Results, Recent Labs

PATIENT INFORMATION

Referral Status: New Referral Updated Order Order Renewal

Date: _____ Patient Name: _____ DOB: _____
ICD-10 code: K50. _____ M06.9. _____ L40.5. _____ Other: _____
Description: _____
 NKDA Allergies: _____ Weight (lb/kg) _____
Patient Status: New to Therapy New to Therapy Last Treatment Date: _____ Next Due Date: _____

PROVIDER INFORMATION

Referral Coordinator Name: _____ Referral Coordinator Email: _____
Ordering Provider: _____ Provider NPI: _____
Referring Practice Name: _____ Phone: _____ Fax: _____
Practice Address: _____ City: _____ State: _____ Zip: _____

NURSING

- TB status and date (list results and attach clinicals)

 Hepatitis B Test (list results and attach clinicals)

 Utilize Hypersensitivity protocol established by Redeemer Health Infusion and PI
 Provide nursing care and observation per Redeemer Health Infusion Policies and Procedures

LABORATORY ORDERS

- CBC at each dose every _____
 CMP at each dose every _____
 CRP at each dose every _____
 Other: _____
 Please check this box if you do NOT authorize Redeemer Health Infusion to order and draw labs indicated for clinical clearance and/or insurance authorization prior to treatment.

PRE-MEDICATION ORDERS

Not usually indicated for this medication.

- acetaminophen (Tylenol) 500 mg/ 650 mg/ 1000 mg PO
 cetirizine (Zyrtec) 10 mg PO
 loratadine (Claritin) 10 mg PO
 diphenhydramine (Benadryl) 25 mg/ 50 mg PO/ IV
 methylprednisolone (Solu-Medrol) 40 mg/ 125 mg IV
 hydrocortisone (Solu-Cortef) 100 mg IV
 Other: _____

Please check this box if you DO NOT authorize Redeemer Health Infusion to complete a Peer to Peer on behalf of the prescribing provider for an insurance company that denies authorization for treatment.

THERAPY ADMINISTRATION

- Cimzia Injection subcutaneous injection
- **Frequency/Dose:**
 Induction: 400 mg at weeks 0, 2, 4
 :Maintenance:
 200 mg / 400 mg
 Every 2 weeks / Every 4 weeks
 - **Route:** Subcutaneous
 - Refills: Zero/ for 12 months/ Other: _____
(If not indicated, order will expire one year from date signed)

*To ensure a brand name product is dispensed, the prescriber must
handwrite "Brand Medically Necessary" on the prescription form. If not
indicated, Redeemer Infusion is authorized to administer a generic or
biosimilar.*

SPECIAL INSTRUCTIONS

Provider Name (Print)

Provider Signature

Date